Acid Alcohol, 3% in 95%



Section 1

Product Description

Product Name: Acid Alcohol, 3% in 95%
Recommended Use: Science education applications

Synonyms: Hydrochloric Acid in Ethanol, Acid Alcohol
Distributor: Carolina Biological Supply Company
2700 York Road, Burlington, NC 27215

1-800-227-1150

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER







Highly flammable liquid and vapor. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. Causes damage to organs.

GHS Classification:

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1, Flammable Liquid Category 2, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2, Acute Toxicity - Dermal Category 4

Other Safety Precautions: IF exposed: Call a POISON CENTER or doctor/physician.

Section 3 Composition / Information on Ingredients

Chemical Name	<u>CAS #</u>	<u>%</u>
Ethanol	64-17-5	83.4
Water	7732-18-5	6.73
2-Propanol	67-63-0	4.61
Methanol	67-56-1	4.15
Hydrogen Chloride	7647-01-0	1.12

Section 4

First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before

reuse.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: Vapors may travel back to ignition source. Closed Containers exposed to heat may

explode.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide, Hydrogen chloride

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Isolate area. Keep unnecessary personnel away. Ventilate the area by opening door and/or turning on fans and blowers. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

Section 7

Handling and Storage

Handling: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../

equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this

product. Wear protective gloves/protective clothing/eye protection/face protection.

Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Suitable for any

general chemical storage.

Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8

Protection Information

	ACC	<u> SIH</u>	<u>OSHA</u>	<u>PEL</u>
Chemical Name	<u>(TWA)</u>	(STEL)	<u>(TWA)</u>	(STEL)
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA;	N/A
			1900 mg/m3 TWA	
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980	N/A
			mg/m3 TWA	
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260	N/A
			mg/m3 TWA	
Hydrogen Chloride	N/A	2 ppm (Ceiling)	N/A	5 ppm (Ceiling)

Control Parameters

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE):

Respiratory Protection:

Respirator Type(s):

Eye Protection:

Lab coat, apron, eye wash, safety shower.

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a

respirator if general room ventilation is not available or sufficient to eliminate symptoms.

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Wear chemical splash goggles when handling this product. Have an eye wash station

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at regular

intervals. Clean protective equipment regularly. Wash hands and other exposed areas

with mild soap and water before eating, drinking, and when leaving work

Nitrile

Gloves:

Section 9

Physical Data

Formula: No data available

Molecular Weight: No data available **Appearance:** Colorless Liquid

Vapor Pressure: No data available

Evaporation Rate (BuAc=1): No data available Vapor Density (Air=1): No data available

Odor: Moderate Alcohol Odor Odor Threshold: No data available

pH: No data available

Melting Point: No data available -114 C Boiling Point: Estimated 79 C 79 C Flash Point: Estimated 17 C 17 C

Flammable Limits in Air: 3.3 - 19.0% (for 100% ethanol)

Specific Gravity: 0.8 Solubility in Water: Soluble

Log Pow (calculated): -0.3 (est) -0.32
Autoignition Temperature: No data available
Decomposition Temperature: No data available

Viscosity: No data available
Percent Volatile by Volume: 92%

Section 10 Reactivity Data

Reactivity: Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Temperatures above flash point in combination with sparks, open flames, or other

sources of ignition. Reaction with water is exothermic.

Incompatible Materials: Organic Peroxides, Strong acids, Oxidizing materials, Water-reactive materials, Water,

Caustics (bases), Acetic anhydride, Amines, Alkanolamines, Isocyanates, Copper, Metals

Hazardous Decomposition Products: Hydrogen chloride, Carbon dioxide, Carbon monoxide

Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry Inhalation, ingestion, eye or skin contact.

Symptoms (Acute): Respiratory Irritation, Dermititis, Central Nervous System Depression, Dizziness, Respiratory disorders, Eye

disorders

Delayed Effects: No data available

Acute Toxicity: Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Oral LD50 Rat 90000 mg/kg	Dermai LD30	imalation 2000
2-Propanol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 ppm
Hydrogen Chloride	7647-01-0	Oral LD50 Rabbit 900 mg/kg		INHALATION LC50 Rat 3700 ppm INHALATION LC50 Mouse 1108 ppm INHALATION LC50 Rat 45000 MG/M3 INHALATION LC50 Rat 8300

Carcinogenicity: Chemical Name	CAS Number	IARC	NTP	OSHA
Ethanol	64-17-5	Listed	Listed	Listed
0.5	07.00.0		NI APA	N. 1 1 1 1 1

2-Propanol 67-63-0 Listed Not listed Not listed

Methanol 67-56-1 Not listed Not listed Not listed

Hydrogen Chloride 7647-01-0 Not listed Not listed Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.

Reproductive: No evidence of negative reproductive effects.

Target Organ Effects:

Acute: Central Nervous System, Eyes, No information available

MG/M3

Chronic: No information available, Eyes

Section 12

Ecological Data

Overview: Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or

wildlife.

Mobility: This material is expected to have moderate mobility in soil. It absorbs to most soil types.

Persistence:Biodegradation, Dissolved into waterBioaccumulation:Bioconcentration is not expected to occur.

Degradability: Biodegrades quickly.

Other Adverse Effects: No data

Chemical Name **CAS Number Eco Toxicity** 64-17-5 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] **Ethanol** 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L Water 7732-18-5 No data available 2-Propanol 67-63-0 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 67-56-1 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] Methanol Hydrogen Chloride 7647-01-0 96 HR LC50 GAMBUSIA AFFINIS 282 MG/L [STATIC]

Section 13

Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name:

UN2924

Flammable Liquid, Corrosive, N.O.S.(Ethanol, Hydrochloric Acid)

Class 3 (8)

P.G. II

Air - IATA Proper Shipping Name:

UN2924

Flammable Liquid, Corrosive, N.O.S.(Ethanol, Hydrochloric Acid

Class 3 (8) P.G. II

Section 15

Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Ethanol	64-17-5	No	No	No	No	No
2-Propanol	67-63-0	No	No	No	No	No
Methanol	67-56-1	No	No	No	No	No
Hydrogen Chloride	7647-01-0	No	No	No	No	No

California Prop 65:

WARNING: This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

Section 16

Additional Information

Revised: 10/20/2015 Replaces: 10/20/2015 Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary			
ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health