

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 28-Nov-2010

Revision Date 30-Dec-2014

Revision Number 1

1. Identification				
Product Name	Copper(II) chloride dihydrate			
Cat No. :	C454-500			
Synonyms	Cupric chloride dihydrate			
Recommended Use	Laboratory chemicals.			
Uses advised against Details of the supplier of the safety	No Information available v data sheet			
Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887			

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Acute oral toxicity	Category 3
Skin Corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous system (C	NS).
Specific target organ toxicity - (repeated exposure)	Category 2
Target Organs - Liver, Kidney, Heart, Blood.	

Label Elements

Signal Word Danger

Hazard Statements

May be corrosive to metals Toxic if swallowed Causes skin irritation Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Do not get in eyes, on skin, or on clothing

Use only outdoors or in a well-ventilated area

Keep only in original container

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing **Skin**

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

Rinse mouth

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Spills

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition / information on ingredients

Component	CAS-No	Weight %
Copper (II) chloride dihydrate	10125-13-0	>95
Cupric chloride	7447-39-4	-

4. First-aid measures		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.	
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a	

	respiratory medical device. Immediate medical attention is required.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Most important symptoms/effects	Irritating to eyes. Irritating to skin. Irritating to respiratory system. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.
Unsuitable Extinguishing Media	No information available
Flash Point	No information available
Method -	No information available
Autoignition Temperature Explosion Limits	Not applicable
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available

Specific Hazards Arising from the Chemical

Corrosive Material. Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Hydrogen chloride gas Copper oxides

Protective Equipment and Precautions for Firefighters

Sensitivity to Static Discharge No information available

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 3	Flammability 0	Instability 1	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Use personal protective eq not get in eyes, on skin, or		tilation. Avoid dust formation. Do
Environmental Precautions	Do not flush into surface wa contaminate ground water	ater or sanitary sewer system. system. Prevent product from e	Do not allow material to entering drains. Local authorities ned. Should not be released into

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

	7. Handling and storage
Handling	Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not breathe vapors/dust. Do not ingest.
Storage	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Store contents under argon. Corrosives area. Do not store in metal containers.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Copper (II) chloride dihydrate	TWA: 1 mg/m ³		IDLH: 100 mg/m³ TWA: 1 mg/m³
Cupric chloride	TWA: 1 mg/m ³		IDLH: 100 mg/m ³ TWA: 1 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physica	al and chemical properties
Physical State	Solid
Appearance	Blue green
Odor	Odorless
Odor Threshold	No information available
рН	3.0-3.8
Melting Point/Range	100 °C / 212 °F
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Relative Density	2.54 (H2O=1)
Solubility	1150 g/L @ 20 °C
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	Not applicable
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Cl2Cu.2H2O
Molecular Weight	170.48

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability

Hygroscopic.

Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water.
Incompatible Materials	Strong oxidizing agents, Metals
Hazardous Decomposition Product	s Hydrogen chloride gas, Copper oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	Corrosive to metals.
	11. Toxicological information

Acute Toxicity

Product Information Component Information

Component Informa	tion						
Component		LD50 Oral		LD50 Dermal		LC50 Inhalation	
Copper (II) chloride dihydrate		290 mg/kg(Rat)		Not listed	No	Not listed	
Cupric chloride		584 mg/kg (Rat) 140 mg/kg(Rat) 233 mg/kg(Mouse)		Not listed		Not listed	
oxicologically Syn Products	ergistic	No information avai	lable				
	iate effects	as well as chronic effec	ts from short an	d long-term expo	osure		
rritation		Irritating to eyes, rea	spiratory system	and skin			
Sensitization		No information avai	lable				
Carcinogenicity		The table below ind	licates whether ea	ach agency has lis	ted any ingredient	as a carcinoger	
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Copper (II) chloride dihydrate	10125-13-	0 Not listed	Not listed	Not listed	Not listed	Not listed	
Cupric chloride	7447-39-4	4 Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects Reproductive Effects		Experiments have s	Mutagenic effects have occurred in experimental animals. Experiments have shown reproductive toxicity effects on laboratory animals. No information available.				
Developmental Effe	CIS		No information available.				
STOT - single expos STOT - repeated exp			Respiratory system Central nervous system (CNS) Liver Kidney Heart Blood				
Aspiration hazard		No information avai	No information available				
Symptoms / effects delayed Endocrine Disruptor		perforation: Product contraindicated. Po	Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated No information available				
Other Adverse Effect			The toxicological properties have not been fully investigated. See actual entry in RTECS for				

12. Ecological information

complete information.

Ecotoxicity Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Copper (II) chloride dihydrate	Not listed	Not listed	= 0.16 mg/L EC50 Photobacterium phosphoreum 30 min as Cu++ = 0.27 mg/L EC50 Photobacterium phosphoreum 15 min as Cu++ = 1.29 mg/L EC50 Photobacterium phosphoreum 5 min as Cu++	Not listed	
Cupric chloride		LC50: 0.120-0.130 mg/L/96h (Carp) ; LC50: 0.9 mg/L/96h (Bluegill sunfish) ; LC50: 0.08 mg/L/96h (Rainbow trout)	Not listed	EC50: 0.04 mg/L/48h	
Persistence and Degrada Bioaccumulation/ Accum		based on information availation availation available.	able.		
Mobility	Will likely be	mobile in the environment	due to its water solubility.		
		isposal considera			
Waste Disposal Methods	hazardous v	aste generators must deterr vaste. Chemical waste gen ardous waste regulations to	erators must also consult l	ocal, regional, and	
	14	Fransport informa	ation		
DOT UN-No Proper Shipping Nam Hazard Class Packing Group TDG UN-No Proper Shipping Nam Hazard Class Packing Group IATA UN-No Proper Shipping Nam Hazard Class Packing Group IMDG/IMO UN-No Proper Shipping Nam Hazard Class	8 III UN2802 COPPER C 8 III UN2802 COPPER C 8 III UN2802 COPPER C 8 III	HLORIDE			
Packing Group	 15. R	Regulatory inform	ation		

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Copper (II) chloride dihydrate	-	-	-	-	-		Х	-	Х	Х	-
Cupric chloride	Х	Х	-	231-210-2	-		Х	Х	Х	Х	Х
Lagandi											

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

Not applicable

TSCA 12(b) SARA 313

	Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Co	oper (II) chloride dihydrate	10125-13-0	>95	1.0
	Cupric chloride	7447-39-4	-	1.0

SARA 311/312 Hazardous Categorization

in a contraction of the second	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Copper (II) chloride dihydrate	-	-	Х	-
Cupric chloride	Х	10 lb	Х	-

Clean Air Act

Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs		
Cupric chloride	10 lb	-		
		· · ·		

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Copper (II) chloride dihydrate	-	Х	Х	-	-
Cupric chloride	Х	Х	Х	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Y

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D1B Toxic materials D2B Toxic materials Corrosive material



Е

16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 28-Nov-2010 30-Dec-2014 30-Dec-2014

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS