

SAFETY DATA SHEET

Creation Date 27-Jan-2010

Revision Date 17-Jan-2018

Revision Number 5

1. Identification

Methylene chloride, unstabilized

Product Name

D150-1; D150-4; D150-4LC; D150SK-1; D150SK-4

Cat No. :

CAS-No Synonyms 75-09-2 Dichloromethane; DCM

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Central nervous system (CNS).	0.1
Specific target organ toxicity - (repeated exposure)	Category 2
Target Organs - Kidney, Liver, Blood.	

Label Elements

Signal Word Danger

Hazard Statements

Causes skin irritation Causes serious eye irritation May cause drowsiness or dizziness May cause cancer May cause damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Methylene chloride	75-09-2	>95

4. First-aid measures			
General Advice	If symptoms persist, call a physician.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.		
Inhalation	Move to fresh air. Obtain medical attention. If not breathing, give artificial respiration.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects Notes to Physician	Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically		

	5. Fire-fighting measures			
Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.				
Unsuitable Extinguishing Media No information available				
Flash Point Method -	No information available No information available			
Autoignition Temperature	605 °C / 1121 °F			
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	22 vol % 13 vol % ct No information available No information available			

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂) Hydrogen chloride gas Phosgene

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 2	Flammability 1	Instability 0	Physical hazards N/A
		6. Accidental rel	lease measures	
	I Precautions		uipment. Ensure adequate ver	

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

7. Handling and storage			
Handling	Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.		

Storage

......

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Methylene chloride	TWA: 50 ppm	(Vacated) TWA: 500 ppm	IDLH: 2300 ppm	TWA: 100 ppm
-		(Vacated) STEL: 2000 ppm		TWA: 330 mg/m ³
		(Vacated) Ceiling: 1000 ppm		STEL: 500 ppm
		TWA: 25 ppm		STEL: 1740 mg/m ³
		STEL: 125 ppm		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.		
Personal Protective Equipment			
Eye/face Protection	Tightly fitting safety goggles. Face-shield.		
Skin and body protection	Long sleeved clothing.		
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.		

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	sweet
Odor Threshold	250 ppm
pH	No information available
Melting Point/Range	-97 °C / -142.6 °F
Boiling Point/Range	39 - 40 °C / 102.2 - 104 °F
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	22 vol %
Lower	13 vol %
Vapor Pressure	475 hPa @ 20 °C
Vapor Density	2.93
Specific Gravity	1.325
Solubility	20 g/L (20°C)
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	605 °C / 1121 °F
Decomposition Temperature	> 120°C
Viscosity	0.43 mP.s @ 20°C
Molecular Formula	C H2 Cl2
Molecular Weight	84.93

10. Stability and reactivity

Reactive Hazard None known, based on information available		
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Excess heat.	
Incompatible Materials	Strong oxidizing agents, Strong acids, Amines, Aluminium,	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas, Phosgene		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information

Component Methylene chloride		LD50 Oral	L	LD50 Dermal		Inhalation
		> 2000 mg/kg (Rat) > 2000 mg/kg (Rat)			•	53 mg/L (Rat) 6 h 76000 mg/m³ (Rat) 4 h
oxicologically Syne Products Delayed and immedia	•	No information avai		l long-term expo	sure_	
Irritation Irritati		Irritating to eyes an	Irritating to eyes and skin			
Sensitization No		No information avail	No information available			
Carcinogenicity		The table below inc	dicates whether ea	ch agency has list	ed any ingredient	as a carcinoge
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Methylene chloride	75-09-2	Group 2A	Reasonably	A3	Х	A3

IARC: (International Agency for Res	earch on Cancer)	IARC: (International Agency for Research on Cancer)
		Group 1 - Carcinogenic to Humans
		Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans
NTP: (National Toxicity Program)		NTP: (National Toxicity Program)
		Known - Known Carcinogen
		Reasonably Anticipated - Reasonably Anticipated to be a Human
		Carcinogen
ACGIH: (American Conference of G	overnmental Industrial	A1 - Known Human Carcinogen
Hygienists)		A2 - Suspected Human Carcinogen
		A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists)
Mexico - Occupational Exposure Lir	mits - Carcinogens	Mexico - Occupational Exposure Limits - Carcinogens
		A1 - Confirmed Human Carcinogen
		A2 - Suspected Human Carcinogen
		A3 - Confirmed Animal Carcinogen
		A4 - Not Classifiable as a Human Carcinogen
		A5 - Not Suspected as a Human Carcinogen
Mutagenic Effects	No information available	
Reproductive Effects	No information available.	
Developmental Effects	No information available.	
Teratogenicity	No information available.	
STOT - single exposure	Central nervous system (CNS)
STOT - repeated exposure	Kidney, Liver, Blood.	
Aspiration hazard	No information available	
Owner tame to ffeete beth south and labolating of high second		concentrations may cause symptoms like headache, dizzingen
		concentrations may cause symptoms like headache, dizziness,
delayed	tiredness, nausea and vo	mung
Endocrine Disruptor Information	No information available	
Other Adverse Effects	The toyical grapherti	as have not been fully investigated
Other Adverse Effects	The toxicological properti	es have not been fully investigated.
	12. Ecologic	al information
Eastaviaity		

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Methylene chloride	EC50:>660 mg/L/96h	Pimephales promelas: LC50:193 mg/L/96h	5		
ersistence and Degrad	ability Persistence	e is unlikely based on infor	0		
		-			
Bioaccumulation/ Accun	nulation No informa	ation available.			
lobility	Will likely I	be mobile in the environme	nt due to its volatility.		
	Component		log Pow		
М	ethylene chloride		1.25		
		Disposal conside			
Vaste Disposal Methods			ermine whether a discarded of		
			enerators must also consult l		
	national ha	azardous waste regulations	to ensure complete and acc	urate classification.	
Comp	oonent	RCRA - U Series	Wastes RCRA	- P Series Wastes	
Methylene chl	oride - 75-09-2	U080		-	
	14.	Transport inform	nation		
DOT					
UN-No	UN1593				
Proper Shipping Nan		OMETHANE			
Hazard Class Packing Group	6.1 III				
DG	111				
UN-No	UN1593				
Proper Shipping Nan		OMETHANE			
Hazard Class	6.1				
Packing Group	111				
ATA U I					
UN-No	UN1593				
Proper Shipping Nan	ne Dichlorom	ethane			
Hazard Class	6.1				
Packing Group	111				
MDG/IMO					
UN-No	UN1593				
Proper Shipping Nan		ethane			
Hazard Class	6.1				
Packing Group					

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Methylene chloride	Х	Х	-	200-838-9	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated

polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methylene chloride	75-09-2	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Methylene chloride	-	-	Х	Х

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methylene chloride	Х		-

OSHA Occupational Safety and Health Administration

Not applicable

	Component		Specifically Regulated Chemicals	Highly Hazardous Chemicals
	Methylene chloride		125 ppm STEL	-
			12.5 ppm Action Level	
			25 ppm TWA	
CERCLA		This mater	ial, as supplied, contains one or more su	bstances regulated as a hazardous

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Methylene chloride	1000 lb 1 lb	-	
California Proposition 65 This	product contains the following proposition 65 ch	emicals	

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Methylene chloride	75-09-2	Carcinogen	200 µg/day 50 µg/day	Carcinogen

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Methylene chloride	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available 16. Other information Regulatory Affairs Prepared By Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com **Creation Date** 27-Jan-2010 **Revision Date** 17-Jan-2018 **Print Date** 17-Jan-2018 **Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS