

SAFETY DATA SHEET

 Creation Date 03-May-2010
 Revision Date 25-May-2017
 Revision Number 2

 1. Identification

 Product Name
 1-Hexene

Cat No. : AC213210000; AC213210010; AC213210020; AC213210025; AC213210250; AC213211000

Synonyms Butyl ethylene

Recommended Use	Laboratory chemicals.
Uses advised against	Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS). Aspiration Toxicity Category 2 Category 3

Category 1

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor May be fatal if swallowed and enters airways May cause drowsiness or dizziness



Precautionary Statements Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Keep cool Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Repeated exposure may cause skin dryness or cracking

Toxic to aquatic life with long lasting effects

3. Composition / information on ingredients

	Component	CAS-No	Weight %	
	1-Hexene	592-41-6	>95	
	4			
	4.	First-aid measures		
Eye Contact	Rinse imme Obtain medi	diately with plenty of water, also under t cal attention.	the eyelids, for at least 15 minutes.	
Skin Contact	Wash off imi symptoms o	mediately with plenty of water for at leas	st 15 minutes. Get medical attention if	
Inhalation	victim ingest	ed or inhaled the substance; give artific bed with a one-way valve or other prope		

Ingestion	Aspiration hazard. Do not induce vomiting. Call a physician or Poison Control Center immediately.
Most important symptoms/effects	Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire with water spray.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point	-26 °C / -14.8 °F
Method -	Closed cup
Autoignition Temperature	265 °C / 509 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 1	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental rel	lease measures	
Personal Precautions		•	of ignition. Take precautionary ntilation. Avoid contact with skin,
Environmental Precautions	Avoid release to the enviro	nment. See Section 12 for add	ditional ecological information.
Methods for Containment and C	lean Remove all sources of ignit	tion. Soak up with inert absorb	ent material. Keep in suitable,

Up Closed containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment.

	7. Handling and storage
Handling	Wear personal protective equipment. Ensure adequate ventilation. Use spark-proof tools and explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothing. Avoid ingestion and inhalation.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep under nitrogen. Flammables area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
1-Hexene	TWA: 50 ppm			

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Phy	sical and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	Characteristic
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-140 °C / -220 °F
Boiling Point/Range	62 - 65 ℃ / 143.6 - 149 ℉ @ 760 mmHg
Flash Point	-26 °C / -14.8 °F
Method -	Closed cup
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	6.90 vol %
Lower	1.20 vol %
Vapor Pressure	186 mmHg @ 25 °C
Vapor Density	3.0
Specific Gravity	0.678
Solubility	Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	265 °C / 509 °F
Decomposition Temperature	No information available
Viscosity	0.34 cSt at 40 °C
Molecular Formula	C6 H12
Molecular Weight	84.15

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents, Acids, Peroxides
Hazardous Decomposition Product	t s Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization may occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Informa	ation					
Componer	nt	LD50 Oral		LD50 Dermal	LC50	nhalation
1-Hexene		LD50 > 5600 mg/kg(F	Rat) > 200	00 mg/kg (Rabbit)	LC50 = 3200	0 ppm (Rat)4 h
Toxicologically Syn	ergistic	No information ava	ilable			
Products						
Delayed and immed	liate effects	as well as chronic effe	cts from short ar	d long-term expo	sure	
Irritation		No information ava	ilable			
Sensitization		No information ava	ilable			
Carcinogenicity		The table below inc	dicates whether e	ach agency has list	ed any ingredient a	as a carcinogen.
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
1-Hexene	592-41-6	6 Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		Not mutagenic in A	MES Test			
Reproductive Effect	ts	No information ava	ilable.			
Developmental Effe	cts	No information ava	ilable.			
Teratogenicity		No information ava	ilable.			
STOT - single exposision STOT - repeated ex		Central nervous sy None known	rstem (CNS)			
Aspiration hazard		No information ava	ilable			
Symptoms / effects delayed	s,both acute	and Inhalation of high v tiredness, nausea	•	ns may cause sym	ptoms like headac	ne, dizziness,
Endocrine Disrupto	r Informatio	n No information ava	ilable			
Other Adverse Effe	cts	The toxicological p complete informati		been fully investig	ated. See actual e	ntry in RTECS for

12. Ecological information

Ecotoxicity This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1-Hexene	EC50: > 1000 mg/L, 96h	LC50 96 h 5.6 mg/L	Not listed	EC50: = 30 mg/L, 48h Static

(okirchneriella ocapitata)	(Rainbow trout)	(Daphnia magna) EC50: = 230 mg/L, 48h (Daphnia magna)
Persistence and Degradability	Persistence i	I I is unlikely based on information avail	lable.
Bioaccumulation/ Accumulation	No information	on available.	
Mobility	Will likely be	mobile in the environment due to its	volatility.
Compone	nt		log Pow
1-Hexene			3.39
	13. Di	sposal considerations	
	a		
Waste Disposal Methods	hazardous w	ste generators must determine whet aste. Chemical waste generators ma ardous waste regulations to ensure c	
Waste Disposal Methods	hazardous w national haza	aste. Chemical waste generators m	ust also consult local, regional, and
DOT UN-No Proper Shipping Name Hazard Class	hazardous w national haza 14. T UN2370 1-HEXENE 3	aste. Chemical waste generators ma ardous waste regulations to ensure c	ust also consult local, regional, and
DOT UN-No Proper Shipping Name Hazard Class Packing Group	hazardous w national haza 14. T UN2370 1-HEXENE	aste. Chemical waste generators ma ardous waste regulations to ensure c	ust also consult local, regional, and
DOT UN-No Proper Shipping Name Hazard Class Packing Group TDG UN-No Proper Shipping Name Hazard Class	hazardous w national haza 14. T UN2370 1-HEXENE 3 II UN2370 1-HEXENE 3	aste. Chemical waste generators ma ardous waste regulations to ensure c	ust also consult local, regional, and
Proper Shipping Name Hazard Class Packing Group <u>TDG</u> UN-No Proper Shipping Name	hazardous w national haza 14. T UN2370 1-HEXENE 3 II UN2370 1-HEXENE	aste. Chemical waste generators ma ardous waste regulations to ensure c	ust also consult local, regional, and

IMDG/IMO

UN-No

Hazard Class

Packing Group

International Inventories

Proper Shipping Name

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
1-Hexene	Х	Х	-	209-753-1	-		Х	Х	Х	Х	Х
La manual											

15. Regulatory information

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

UN2370

3

Ш

1-HEXENE

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) SARA 313	Not applicable Not applicable		
SARA 311/312 Hazard Categories Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Hazard Reactive Hazard			
CWA (Clean Water Act)	Not applicable		

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

Yes No Yes No No

U.S. State Right-to-Know

Regulations						
	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
	1-Hexene	Х	Х	Х	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

16. Other information				
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com			
Creation Date Revision Date Print Date Revision Summary	03-May-2010 25-May-2017 25-May-2017 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text