# SIGMA-ALDRICH

# SAFETY DATA SHEET

Version 4.8 Revision Date 04/19/2017 Print Date 11/05/2017

# **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Citral
	Product Number Brand Index-No.	:	C83007 Aldrich 605-019-00-3

CAS-No. : 5392-40-5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	-	+1 800-325-5832 +1 800-325-5052

#### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Skin sensitisation (Category 1), H317 Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

Warning

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Cignol word



Signal word	Warning
Hazard statement(s)	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H401	Toxic to aquatic life.
Precautionary statement	(S)
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.

P362	Take off contaminated clothing and wash before reuse.
P501	Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Synonyms	: Geranial and neral mixture 3,7-Dimethyl-2,6-octadienal
Formula	: C <sub>10</sub> H <sub>16</sub> O
Molecular weight	: 152.23 g/mol
CAS-No.	: 5392-40-5
EC-No.	: 226-394-6
Index-No.	: 605-019-00-3

#### Hazardous components

Component	Classification	Concentration
Citral		
	Skin Irrit. 2; Skin Sens. 1; Aquatic Acute 2; H315, H317, H401	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### **General advice**

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

No data available

# 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.
- **7.2** Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Citral	5392-40-5	TWA	5.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Eye damage body weight Adopted valu are propose See Notice of Not classifia	effects ues or notations e	nclosed are those for which changes es (NIC) arcinogen
		TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Eye damage body weight 2015 Adopti Not classifia	iratory Tract irritati e effects	arcinogen

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: light yellow
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: < -20 °C (< -4 °F) at 1,013 hPa (760 mmHg)
f)	Initial boiling point and boiling range	229 °C (444 °F) - lit.
g)	Flash point	95 °C (203 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or	Upper explosion limit: 9.9 %(V) Lower explosion limit: 4.3 %(V)

explosive limits

k)

Vapour pressure	< 1.3 hPa (< 1.0 mmHg) at 100 °C (212 °F) - OECD Test Guideline 104
-----------------	---

- I) Vapour density 5.26 (Air = 1.0)
- m) Relative density 0.888 g/cm3 at 25 °C (77 °F) lit.
- n) Water solubility 0.42 g/l at 25 °C (77 °F) OECD Test Guideline 105
- Partition coefficient: n- log Pow: ca.2.9 at 25 °C (77 °F) OECD Test Guideline 117 octanol/water
- p) Auto-ignition 225 °C (437 °F) at 1,013 hPa (760 mmHg)
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

# 9.2 Other safety information

Relative vapour density 5.26 - (Air = 1.0)

# **10. STABILITY AND REACTIVITY**

temperature

# 10.1 Reactivity

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents, Strong acids, Strong bases

# **10.6 Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 6,800 mg/kg

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin.

# Serious eye damage/eye irritation

Eyes - Rabbit Result: Mild eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitisation

- Mouse Result: May cause sensitisation by skin contact. (OECD Test Guideline 429)

#### Germ cell mutagenicity

In vitro mammalian cell gene mutation test Chinese hamster ovary cells Result: negative

OECD Test Guideline 474 Mouse - male and female Result: negative

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# **Reproductive toxicity**

No data available

No data available

#### Specific target organ toxicity - single exposure No data available

# Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

#### **Additional Information**

Repeated dose	Rat - female - Oral - LOAEL : 335 mg/kg - OECD Test Guideline 408
toxicity	

RTECS: RG5075000

Cough, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Rat - male - Oral - LOAEL : 345 mg/kg - OECD Test Guideline 408

#### **12. ECOLOGICAL INFORMATION**

# 12.1 Toxicity

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - 6.78 mg/l - 96 h (DIN 38412)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 6.8 mg/l - 48 h
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - 103.8 mg/l - 72 h

#### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d
	Result: 85 - 95 % - Readily biodegradable.
	(OECD Test Guideline 301C)

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Contact a licensed professional waste disposal service to dispose of this material. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

## DOT (US)

Not dangerous goods

#### IMDG

Not dangerous goods

#### ΙΑΤΑ

Not dangerous goods

# 15. REGULATORY INFORMATION

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Acute Health Hazard

# Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know Components

Citral	CAS-No. 5392-40-5	Revision Date
Citral	CAS-No. 5392-40-5	Revision Date
New Jersey Right To Know Components		
Citral	CAS-No. 5392-40-5	Revision Date

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute	Acute aquatic toxicity
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H401	Toxic to aquatic life.
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation

#### **HMIS Rating**

Health hazard:	2
Chronic Health Hazard:	
Flammability:	1
Physical Hazard	0

#### **NFPA** Rating

J	
Health hazard:	2
Fire Hazard:	1
Reactivity Hazard:	0

# **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.8

Revision Date: 04/19/2017

Print Date: 11/05/2017