MATERIAL SAFETY DATA SHEET

Total Solutions P.O. Box 240014 Milwaukee, WI 53224

GENERAL INFORMATION NUMBER: (414) 354-6417

CHEMTREC: (800) 424-9300



REVISION DATE: January 12, 2005 DATE OF ISSUE: January 12, 2005

I - Product Identification

Chewing Gum Remover

PRODUCT CODE: 8104

CHEMICAL FORMULATION: Pressurized gas.

NFPA HAZARD IDENTIFICATION SYSTEM:

HAZARD RATING:

HEALTH: 1

FLAMMABILITY: 4

REACTIVITY: 0

4 - Extreme: 3 - High;

2 - Moderate;

1 - Slight;

0 - Insignificant

II - Hazardous Ingredients

Values reported as TWA unless noted.

APPROX %

100.0

OSHA

ACGIH

EPA 40 CFR:

SUBSTANCE Liquefied Petroleum Gas

PEL N/E TLV N/E

355

CAS# 68476-85-7

Key:

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

C: Ceiling level

STEL: Short Term Exposure Limit

N/A: Not Applicable

N/D: Not Determined

N/E: Not Established

Y: Yes

N: No

302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).

355: SARA TITLE III / List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).

372: SARA TITLE III / List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

III - Physical Data

BOILING POINT (°F): N/D

VAPOR PRESSURE (psig): 175 ± 3 @130F

VAPOR DENSITY (AIR = 1): > 1.00

SOLUBILITY IN WATER: Negligible

APPEARANCE AND ODOR: Clear, odorless gas.

SPECIFIC GRAVITY (WATER = 1): < 1.00

VOC CONTENT (% by weight): N/D

EVAPORATION RATE (WATER = 1): N/D

pH: N/D

IV - Fire and Explosion Hazard Data

FLASH POINT (°F):

(TEST METHOD):

FLAME EXTENSION: N/D

FLAMMABLE LIMITS IN AIR (VOLUME %)

UPPER: 9.2

LOWER: 1.8

NFPA 30B Rating: 3

EXTINGUISHING MEDIA: Foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers with water fog. Firefighters should be equipped with full protective gear including self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARD: Exposure to temperature above 120°F may cause bursting.

V - Reactivity Data

STABILITY: Stable

INCOMPATIBILITY: Strong oxidizers and acids.

CONDITIONS TO AVOID: Excess heat, open flame, direct sunlight or sparks. Dropping container may cause bursting.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce oxides of carbon and additional toxic chemicals.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None

VI - Health Hazard Data

ROUTES OF ENTRY

INHALATION: X

EYE CONTACT: X

SKIN CONTACT: X

INGESTION: X

INGREDIENTS THAT ARE CONSIDERED BY OSHA, NTP, IARC TO BE SUSPECTED HUMAN CARCINOGENS: None

EFFECTS OF OVEREXPOSURE

IF IN EYES: Freeze burns.

IF ON SKIN: Possible freeze burns.

IF SWALLOWED: Possible frostbite to mucous membranes and CNS.

IF INHALED: Simple asphyxiant. May cause dizziness, disorientation, headaches and CNS depression.

EMERGENCY AND FIRST AID PROCEDURES

IF IN EYES: Flush eyes and under eyelids with plenty of cool water for at least 15 minutes. If eyes have received freeze burns, obtain medical attention.

IF ON SKIN: Flush area with water for 15 minutes. If skin has received freeze burns, obtain medical attention.

IF SWALLOWED: Contact physician or poison control center immediately.

IF INHALED: Remove person to fresh air. If breathing has stopped, administer artificial respiration.

VII - Spill or Leak Protection

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Ventilate area. Remove all sources of ignition. Contain spill and soak up spilled material with inert absorbent material and place in a properly marked closed container for proper disposal.

WASTE DISPOSAL METHOD: Consult local environmental authorities. Dispose of cans in non-incinerated trash only.

VIII - Special Protection Information

RESPIRATORY PROTECTION: Use with adequate ventilation. If recommended Exposure Limits are exceeded wear a NIOSH approved respirator, following manufacturer's recommendations.

VENTILATION

LOCAL: Recommended

MECHANICAL: Not required

PROTECTIVE GLOVES: Chemical resistant.

EYE PROTECTION: Safety glasses.

OTHER PROTECTIVE EQUIPMENT: Impervious clothing.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a cool, dry place away from heat or open flame. Do not expose to direct sunlight or store at temperatures above 120°F.

OTHER PRECAUTIONS: Keep out of reach of children. Do not puncture or incinerate container.

IX - Transportation Information (ground transportation only)

DOT PROPER SHIPPING NAME: Consumer Commodity

DOT CLASS: ORM-D

DOT ID NUMBER: None

DOT PACKING GROUP: None

The shipping information listed above applies only to non-bulk (< 119 gallons) containers of this product. This product may have more than one proper shipping name depending on packaging, product properties, & mode of shipment. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may apply.

REVISION DATE: January 12, 2005

Prepared by: PMR

DATE OF ISSUE: January 12, 2005

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Total Solutions assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.