

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

1 Identification

- **Product Identifier:**
- **Product Name:** Voges Proskauer A
- **Catalog Number:** 261192
- **Application of the substance / the mixture**
Laboratory Chemicals
Laboratory Chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BD Diagnostic Systems
7 Loveton Circle
Sparks, MD 21152
Telephone: (410) 771 - 0100 or (800) 638 – 8663
Email Address: Technical_Services@bd.com
- **Information Department:** Technical Service
- **Emergency telephone number:**
In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02 GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
1-naphthol

(Contd. on page 2)

US

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 1)

· Hazard statements*H225 Highly flammable liquid and vapor.**H318 Causes serious eye damage.***· Precautionary statements***P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.**P241 Use explosion-proof electrical/ventilating/lighting/equipment.**P280 Wear protective gloves/protective clothing/eye protection/face protection.**P240 Ground/bond container and receiving equipment.**P233 Keep container tightly closed.**P242 Use only non-sparking tools.**P243 Take precautionary measures against static discharge.**P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P310 Immediately call a POISON CENTER/doctor.**P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.**P403+P235 Store in a well-ventilated place. Keep cool.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***· NFPA ratings (scale 0-4)**

Health = 2

Flammability = 3

Reactivity = 0

· HMIS ratings (scale 0-4)

Health = 1

Flammability = 3

Reactivity = 0

· Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixture**· Description:** Mixture consisting of the following components.

(Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 2)

· Dangerous Components:

CAS: 64-17-5 EINECS: 200-578-6	ethanol Flam. Liq. 2, H225	95.0%
CAS: 90-15-3 EINECS: 201-969-4	1-naphthol Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	5.0%

· Additional information

Risk phrases refer to section 15.
5% naphthol on absolute alcohol

4 First-aid measures

· Description of first aid measures

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** Immediately call a doctor.
- **Information for doctor** Show this product label or this SDS.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents

CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Wipe up with damp sponge or mop.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 3)

- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Store away from oxidizing agents.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:**
No further data; see Section 7.
Not applicable

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

64-17-5 ethanol

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1880 mg/m ³ , 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal Protective Equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 4)

- **Breathing equipment:**
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:**
Safety glasses
Tightly sealed goggles.
- **Body protection:** Protective work clothing (lab coat).

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Color:	Light brown
Odor:	Odorless

- **pH-value:** Neutral

- **Change in condition**

Melting point/Melting range: Not determined
Boiling point/Boiling range: 78 °C (172 °F)

- **Flash point:** 13 °C (55 °F)

- **Ignition temperature:** 425.0 °C (797 °F)

- **Auto igniting:** Product is not self igniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- **Explosion limits:**

Lower:	3.5 Vol %
Upper:	15.0 Vol %

- **Density:** Not determined

- **Solubility in / Miscibility with**

Water: Soluble

- **Other information** No further relevant information available.

US

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 5)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Incompatible material: strong oxidizers.
- **Hazardous decomposition products:** Carbon monoxide (CO) and carbon dioxide (CO₂)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
 - **on the skin:** No irritating effect.
 - **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Subacute to chronic toxicity:**
Target organs: blood, liver, and gastrointestinal.
Target organs: thyroid, kidney, ureter or bladder tumors.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Tumorigenic
Irritant
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 6)

- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Other information:**
The ecological effects have not been thoroughly investigated, but currently none have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements. RCRA hazardous waste - RCRA # D001 (ignitable). Must not be disposed of with solid waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to state and federal regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|------------------------------------|
| · UN-Number | |
| · DOT | UN1993 |
| · IMDG, IATA | 1993 |
| · UN proper shipping name | |
| · IMDG, IATA | FLAMMABLE LIQUID, N.O.S. (ethanol) |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 3 Flammable liquids |

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 7)

· Label	3
<hr style="border-top: 1px dashed #000;"/>	
· IMDG, IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F-E, S-E
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Remarks:	<p><i>This product can be transported using the "small quantity" exception. This package conforms to 49 CFR 173.4 for domestic highway or rail transport only. The Hazard Class, Identification number, and Packing group listed above is for informational purposes only.</i></p>
<hr style="border-top: 1px dashed #000;"/>	
· IMDG	
· Remarks:	Limited quantity
<hr style="border-top: 1px dashed #000;"/>	
· IATA	
· Remarks:	<p><i>This product can be transported using the exception: Dangerous Goods in Excepted Quantities. The Hazard class, Identification number, and Packing group listed above is for informational purposes only.</i></p>

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 8)

· **UN "Model Regulation":** UN1993, Flammable liquids, n.o.s., special provision 640D (Ethanol (Ethyl alcohol)), 3, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

64-17-5 ethanol

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

· **Carcinogenic categories**

· **TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A4

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**

1-naphthol

(Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 9)

· Hazard statements*H225 Highly flammable liquid and vapor.**H318 Causes serious eye damage.***· Precautionary statements***P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.**P241 Use explosion-proof electrical/ventilating/lighting/equipment.**P280 Wear protective gloves/protective clothing/eye protection/face protection.**P240 Ground/bond container and receiving equipment.**P233 Keep container tightly closed.**P242 Use only non-sparking tools.**P243 Take precautionary measures against static discharge.**P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P310 Immediately call a POISON CENTER/doctor.**P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.**P403+P235 Store in a well-ventilated place. Keep cool.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***· National regulations****· Additional classification according to Decree on Hazardous Materials:***RCRA: This product contains ethanol and has a Reporting Quantity (RQ) of 100 lbs.**SARA 311/312: Maybe subject to reporting.**313: Not subject to reporting.**TSCA: This product is exempt under TSCA.***· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· Department issuing SDS:*Environmental, Health & Safety**Created by Michael J. Spinazzola***· Contact: Technical Service Representative****· Date of preparation / last revision 06/03/2016 / -****· Abbreviations and acronyms:***IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation*

(Contd. on page 11)

**Safety Data Sheet**
acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/21/2016

Product Name: Voges Proskauer A

(Contd. of page 10)

IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US