4179

IMPACT

Version 1.0

Revision Date 05/07/2015

Print Date 05/07/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name

: IMPACT

Material number

: 4179

Manufacturer or supplier's details

Company

: ATCO INTERNATIONAL

Address

1401 BARCLAY CIRCLE, S.E.

MARIETTA, GA 30060

Telephone

: 770-424-7550

Emergency Telephone

: ChemTel Inc.

(800)255-3924 or +1 (813)248-0585

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	gel	
Color	red	
Odor	oily	

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Not a hazardous substance or mixture.

Potential Health Effects

Carcinogenicity:

IARC

No component of this product is present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH

No component of this product is present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA

No component of this product is present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP

No component of this product is present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product is a mixture of ingredients below with non-hazardous additions.

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated heavy	64742-52-5	>= 30 - < 50

APR 1 1 2016 MUD COMPLIANCE/SAFETY

4179 IMPACT Version 1.0 Revision Date 05/07/2015 Print Date 05/07/2015

naphthenic			
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	>= 30 - < 50	
quartz (SiO2)	14808-60-7	>= 0.1 - < 1	

For the listed ingredients exact names and percentages have been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical

advice.

Consult a physician after significant exposure.

In case of skin contact : If skin irritation persists, call a physician.

Wash off immediately with soap and plenty of water.

If on clothes, remove clothes.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Rinse immediately with plenty of water for at least 15 minutes.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

 Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion

products

Carbon dioxide (CO2)
Carbon monoxide

Smoke

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

SAFFTY DATA SHEFT

4179	IMPACT	
Version 1.0	Revision Date 05/07/2015	Print Date 05/07/2015
	be disposed of in accordance with	n local regulations.
Special protective equipment for firefighters	nent : Wear self-contained breathing apparatus for firefighting if necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Environmental precautions : Use personal protective equipment. Ensure adequate ventilation.

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapors or spray mist,

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Take precautionary measures against static discharges.

Provide sufficient air exchange and/or exhaust in work rooms.

Always replace cap after use.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid

: Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	

4179

IMPACT

Version 1.0

Revision Date 05/07/2015

Print Date 05/07/2015

		exposure)	Permissible concentration	
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (Respirable dust)	0.05 mg/m3	NIOSH REL

Personal protective equipment

Respiratory protection

: In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Remarks

: The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection

: Ensure that eyewash stations and safety showers are close to

the workstation location.

Safety glasses

Eye wash bottle with pure water Tightly fitting safety goggles

Skin and body protection

: impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures

When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: gel

Colour

: red

Odour

: oily

Odour Threshold

: no data available

рΗ

: no data available

Melting point/freezing point

no data available

Boiling point

no data available

Flash point

204.4 °C

4179 IMPACT

Version 1.0 Revision Date 05/07/2015

Evaporation rate

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapor pressure : < 0.01 hPa

Relative vapor density : no data available

Density : 0.8 g/cm3

Solubility(ies)

Water solubility : negligible

Partition coefficient; n-

octanol/water

Viscosity

: no data available

no data available

Auto-ignition temperature
Thermal decomposition

not determinedno data available

Viscosity, kinematic

: > 1,000 mm2/s (40 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions Conditions to avoid : No decomposition if stored and applied as directed.

Print Date 05/07/2015

: Extremes of temperature and direct sunlight.

Heat, flames and sparks.

Incompatible materials : Oxygen

Hazardous decomposition

products

Organic Substances

Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

Distillates (petroleum), hydrotreated heavy naphthenic:

Acute oral toxicity

: LD50 rat: > 5,000 mg/kg

Acute inhalation toxicity

: LC50 rat: > 5 mg/l

Exposure time: 4 h

Acute dermal toxicity

: LD50 rabbit: > 5,000 mg/kg

Skin corrosion/irritation

4179

IMPACT

Version 1.0

Revision Date 05/07/2015

Print Date 05/07/2015

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Product:

Carcinogenicity -

: Not classifiable as a human carcinogen.

Assessment

Reproductive toxicity

no data available

Distillates (petroleum), hydrotreated heavy naphthenic: Distillates (petroleum), hydrotreated light naphthenic: quartz (SiO2):

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

Product:

Partition coefficient: n-

octanol/water

: Remarks: no data available

Mobility in soil

no data available

Other adverse effects

no data available

 4179
 IMPACT

 Version 1.0
 Revision Date 05/07/2015
 Print Date 05/07/2015

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to

aquatic life with long lasting effects.

SECTION 13, DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging

: Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):

NOT REGULATED AS DANGEROÙS GÓODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):

NOT REGULATED AS DANGEROUS GÓODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

4179

 Version 1.0
 Revision Date 05/07/2015
 Print Date 05/07/2015

IMPACT

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: No SARA Hazards

SARA 302

: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302,

SARA 313

: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA

Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

TSCA

On TSCA Inventory

DSL

This product contains one or several components that are not on the

Canadian DSL nor NDSL.

AICS NZIoC

Not in compliance with the inventory Not in compliance with the inventory

PICCS

Not in compliance with the inventory Not in compliance with the inventory

IECSC Not

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan),

ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

4179

IMPACT


Version 1.0

Revision Date 05/07/2015

Print Date 05/07/2015

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:

Not a hazardous substance or mixture.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.