

# **Safety Data Sheet**

Issue Date: 31-Mar-2015

Revision Date: 23-Mar-2016

Version 1

### 1. IDENTIFICATION

**Product Identifier** 

**Product Name** 

Buckeye Eco E51

Other means of identification

SDS#

BE-6051

**Product Code** 

6051

Recommended use of the chemical and restrictions on use

Recommended Use

Water based carpet spotter.

Details of the supplier of the safety data sheet

**Supplier Address** 

Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA

Emergency Telephone Number

**Company Phone Number** 

314-291-1900

24 Hr Medical Emergency Phone: 1-800-303-0441

651-632-8956

Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid

Physical State Liquid

Odor Fresh and clean fragrance

### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

#### Signal Word Danger

### **Hazard Statements**

Causes skin irritation Causes serious eye damage



BE-6051 - Buckeye Eco E51 Revision Date: 23-Mar-2016

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash it before reuse

If skin irritation occurs: Get medical advice/attention

#### **Other Hazards**

Toxic to aquatic life with long lasting effects

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydrogen Peroxide	7722-84-1	<5
Proprietary Fragrance	PROPRIETARY	<1
Potassium Nitrate	7757-79-1	<1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

### First Aid Measures

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Wash with plenty of soap and water. Take off contaminated clothing and wash it before

reuse. If skin irritation occurs: Get medical advice/attention.

**Inhalation** Remove to fresh air.

Ingestion Give two large glasses of water. Do NOT induce vomiting. Never give anything by mouth to

an unconscious person. Get medical attention.

# Most important symptoms and effects

Symptoms Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Oxides of carbon. Oxides of nitrogen.

**—** 

BE-6051 - Buckeye Eco E51 Revision Date: 23-Mar-2016

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

Use personal protective equipment as required.

#### Methods and material for containment and cleaning up

**Methods for Containment** 

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clean water and dry

before permitting traffic.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing

and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep container closed when not in use. Store at room temperature.

Incompatible Materials

Do not mix with chlorinated detergents (bleach).

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm
7722-84-1		TWA: 1.4 mg/m <sup>3</sup>	TWA: 1 ppm
		(vacated) TWA: 1 ppm	TWA: 1.4 mg/m <sup>3</sup>
		(vacated) TWA: 1.4 mg/m <sup>3</sup>	_

#### Appropriate engineering controls

**Engineering Controls** 

Maintain adequate ventilation.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** 

Use splash goggles and face shield when eye contact may occur.

Skin and Body Protection

Wear gloves made of rubber or other impervious material. Normal clothing which covers

skin. Wearing of water resistant footwear is suggested.

**Respiratory Protection** 

None required.

General Hygiene Considerations Wash thoroughly with soap and water after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical State** 

Liquid

**Appearance** 

Clear liquid

Odor

Fresh and clean

fragrance

Color

Clear

**Odor Threshold** 

Not determined

Property

Values  $4.3 \pm 0.2$ 

Not determined

Remarks • Method

pH (Conc.) Melting Point/Freezing Point **Boiling Point/Boiling Range** 

100 °C / 212 °F None

(Water = 1)

Flash Point

**Evaporation Rate** 1.0 Liquid-Not applicable

Flammability (Solid, Gas) **Upper Flammability Limits Lower Flammability Limit** 

Not available Not available Vapor Pressure Vapor Density 1.015

Specific Gravity **Water Solubility** 

Solubility in other solvents **Partition Coefficient** Auto-ignition Temperature **Decomposition Temperature** Kinematic Viscosity **Dynamic Viscosity Explosive Properties Oxidizing Properties** Density

Not determined Not determined Infinite Not determined Not determined Not determined Not determined Not determined Not determined Not determined

Not determined

1.035 gr/ml

### 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** 

Under normal conditions of storage and use, hazardous polymerization will not occur.

### **Conditions to Avoid**

Incompatible Materials.

# **Incompatible Materials**

Do not mix with chlorinated detergents (bleach).

#### **Hazardous Decomposition Products**

Oxides of carbon. Oxides of nitrogen.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

BE-6051 - Buckeye Eco E51

**Eye Contact** 

Causes serious eye damage.

**Skin Contact** 

Causes skin irritation.

Inhalation

Do not inhale.

Ingestion

Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Peroxide 7722-84-1	= 801 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 4060 mg/kg (Rat)	= 2 g/m³(Rat)4 h
Sodium xylenesulfonate 1300-72-7	= 1000 mg/kg (Rat)	-	-
Potassium Nitrate 7757-79-1	= 3015 mg/kg (Rat)		-

#### Information on physical, chemical and toxicological effects

**Symptoms** 

Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Nitrate or nitrite ingested under conditions that result in endogenous nitrosation are considered IARC group 2A carcinogens.

Revision Date: 23-Mar-2016

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen Peroxide 7722-84-1	A3	Group 3		
Potassium Nitrate 7757-79-1		Group 2A		X

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 2A - Probably Carcinogenic to Humans
Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

### **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen Peroxide 7722-84-1	2.5: 72 h Chlorella vulgaris mg/L EC50	18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static 16.4: 96 h Pimephales promelas mg/L LC50		18 - 32: 48 h Daphnia magna mg/L EC50 Static 7.7: 24 h Daphnia magna mg/L EC50

### Persistence/Degradability

Not determined.

BE-6051 - Buckeye Eco E51

**Bioaccumulation** 

Not determined.

**Mobility** 

Not determined

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

**Disposal of Wastes** 

Disposal should be in accordance with applicable regional, national and local laws and

Revision Date: 23-Mar-2016

regulations.

**Contaminated Packaging** 

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Hydrogen Peroxide	Toxic
7722-84-1	Corrosive
	Ignitable
	Reactive
Potassium Nitrate	Ignitable
7757-79-1	Reactive

# 14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

# 15. REGULATORY INFORMATION

# International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Hydrogen Peroxide	Present	Х		Present		Present	X	Present	Х	Х
Potassium Nitrate	Present	Х		Present		Present	Х	Present	Х	Х

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Page 6 / 7

BE-6051 - Buckeye Eco E51 Revision Date: 23-Mar-2016

### US Federal Regulations

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Peroxide 7722-84-1		1000 lb	

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts Pen			
Hydrogen Peroxide 7722-84-1	Х	Х	X		
Potassium Nitrate 7757-79-1	Х	X	Х		

# 16. OTHER INFORMATION

NFPA

**Health Hazards** 

**Flammability** 

Instability

**Special Hazards** 

HMIS

Not determined

**Physical Hazards** 

Not determined

**Health Hazards** 

**Flammability** Not determined

Not determined

**Personal Protection** Not determined

Issue Date:

**Revision Date:** 

31-Mar-2015 23-Mar-2016

**Revision Note:** 

pH correction

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**