Klean Strip Pure Gum Spirits Turpentine,

Turpatine

Page: 1
Printed: 02/22/2016
Revision: 02/12/2016

Supersedes Revision: 04/14/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Klean Strip Pure Gum Spirits Turpentine, Turpatine

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346 **Information:** W.M. Barr Customer Service (800)398-3892

Intended Use: Paint, stain, and varnish thinning.

Product Code: QGT69, GGT69, QGT69ART, QGT694

Additional Information This product is regulated by the United States Consumer Product Safety Commission

and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to

using the product.

2. HAZARDS IDENTIFICATION

Flammable Liquids, Category 3

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Skin Sensitization, Category 1A Aspiration Toxicity, Category 1 Acute Toxicity: Oral, Category 4

Specific Target Organ Toxicity (single exposure), Category 3







GHS Signal Word: Danger

GHS Hazard Phrases: H226: Flammable liquid and vapor.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

GHS Precaution Phrases: P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/ equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing gas/mist/vapors/spray. P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

Klean Strip Pure Gum Spirits Turpentine,

Turpatine

Revision: 02/12/2016 Supersedes Revision: 04/14/2015

Printed: 02/22/2016

Page: 2

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P235: Keep cool.

GHS Response Phrases: P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment see label.

P322: Specific measures see label.

P330: Rinse mouth.

P331: Do NOT induce vomiting.

P332+313: If skin irritation occurs, get medical advice/attention.

P333+313: If skin irritation or rash occurs, seek medical advice/attention.

P337+313: If eye irritation persists, get medical advice/attention.

P362+364: Take off contaminated clothing and wash it before reuse.

P363: Wash contaminated clothing before reuse.

P370+378: In case of fire, use dry chemical powder to extinguish.

GHS Storage and Disposal

P403+233: Store container tightly closed in well-ventilated place. P405: Store locked up.

Phrases:

P501: Dispose of contents/container according to local, state and federal regulations.

Hazard Rating System:





HMIS:

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

INHALATION ACUTE EXPOSURE EFFECTS:

May cause dizziness, headache, watering of the eyes, irritation of the respiratory tract, nausea, depression of the central nervous system, and serious irritation to the kidneys. Severe overexposure may cause unconsciousness.

SKIN CONTACT ACUTE EXPOSURE EFFECTS: This material is a skin irritant.

EYE CONTACT ACUTE EXPOSURE EFFECTS:

This material is a severe eye irritant.

INGESTION ACUTE EXPOSURE EFFECTS:

Harmful or fatal if swallowed. May cause nausea, vomiting, gastrointestinal irritation, and diarrhea.

CHRONIC EXPOSURE EFFECTS:

Reports have associated repeated and prolonged overexposure to solvents with neurological and other physiological damage. May cause jaundice, bone marrow damage, liver damage, anemia, nausea, skin irritation, headache, dizziness, some loss of memory, heart palpitations, and kidney damage, central nervous system damage, mental confusion, convulsions, coma, and death.

Medical Conditions Generally None known.

Klean Strip Pure Gum Spirits Turpentine,

Revision: 02/12/2016 **Turpatine** Supersedes Revision: 04/14/2015

Page: 3

Printed: 02/22/2016

Aggravated By Exposure:

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS# **Hazardous Components (Chemical Name)** Concentration

(1S)-(-)-.alpha.-Pinene {Bicyclo[3.1.1]hept-2-ene, >70.0 % 7785-26-4

2,6,6-trimethyl-, (1S)-}

8006-64-2 Turpentine {Gumspirits} <30.0 %

4. FIRST AID MEASURES

Emergency and First Aid

INHALATION:

Procedures:

If user experiences breathing difficulty, move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

SKIN CONTACT:

Wash with soap and water. If irritation persists, get medical attention.

EYE CONTACT:

Flush eyes with water for at least 15 minutes. Get immediate medical attention.

INGESTION:

Do not induce vomiting. Immediately call your poison control center, hospital emergency room, or physician immediately for instructions. Drink large quantities of water to dilute substance. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

See Potential Health Effects.

Exposure:

5. FIRE FIGHTING MEASURES

IC

95.00 F Method Used: Closed Cup Flash Pt:

LEL: No data. UEL: No data. **Explosive Limits:**

Autoignition Pt: No data.

Suitable Extinguishing Media: Use carbon dioxide, dry powder, or foam.

Self-contained respiratory protection should be provided for fire fighters fighting fires in Fire Fighting Instructions:

> buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have

been exposed to intense heat or flame.

Flammable Properties and

Hazards:

Danger! Flammable! Keep away from heat, sparks, flame, and all other sources of ignition. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and all other sources of ignition during use and until all vapors are gone. Beware of static electricity that may be generated by synthetic clothing and

other sources.

Material floats on water.

Excessive temperatures and/or contact with air may cause decomposition or oxidation.

Klean Strip Pure Gum Spirits Turpentine,

Turpatine

Page: 4

e, Printed: 02/22/2016 Revision: 02/12/2016 Supersedes Revision: 04/14/2015

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Shut of ignition sources; keep flares, smoking or flames out of hazard area.

Small Spills: take up liquid with sand, earth or other noncombustible absorbent material and place in a plastic container where applicable.

Large Spills: dike far ahead of spill for later disposal.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

(CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
	7785-26-4	(1S)-(-)alphaPinene {Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, (1S)-}	No data.	No data.	No data.
	8006-64-2	Turpentine {Gumspirits}	PEL: 100 ppm	TLV: 20 ppm	No data.

Respiratory Equipment (Specify Type):

For occasional consumer use - Use with adequate ventilation to prevent a build-up of vapors in confined areas. Open windows or position fans to provide cross ventilation. If a mild to strong odor is noticeable, ventilation is not adequate.

For OSHA controlled workplace and other regular users - Use only with adequate ventilation under engineered air control systems designed to prevent exceeding appropriate TLVs.

For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirators. A dust mask does not provide protection against vapors.

Safety glasses, chemical goggles, or face shields are recommended to safeguard against potential eye contact, irritation, or injury. Contact lenses should not be worn

while working with chemicals.

Protective Gloves: Wear impermeable gloves. Gloves contaminated with product should be discarded.

Other Protective Clothing: Various application methods can dictate use of additional protective safety equipment,

such as impermeable aprons, etc., to minimize exposure.

Engineering Controls (Ventilation etc.):

Eye Protection:

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately and move to fresh air.

Work/Hygienic/Maintenance Practices:

Wash hands thoroughly after use and before eating, drinking, or smoking.

Klean Strip Pure Gum Spirits Turpentine,

Turpatine

Revision: 02/12/2016 Supersedes Revision: 04/14/2015

Printed: 02/22/2016

Page: 5

Clothing that becomes soiled with product should be removed as soon as possible and laundered separately.

A source of clean water should be available in the work area for flushing of eyes and skin.

9. PHYSICAL AND CHEMICAL PROPERTII

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Colorless.

Typical pine terpene.

Melting Point: No data.

Boiling Point: 315.00 F - 350.00 F

Autoignition Pt: No data.

Flash Pt: 95.00 F Method Used: Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): 0.865 at 25.0 C Vapor Pressure (vs. Air or 4 MM HG at 20.0 C

mm Hg):

Vapor Density (vs. Air = 1): > 1

Evaporation Rate: No data.

Solubility in Water: No data.

Solubility Notes: Negligible

Percent Volatile: 100.0 %

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid - No data available.

Instability:

Incompatibility - Materials To Incompatible with strong oxidizing agents, strong bases, and strong acids

Avoid:

Hazardous Decomposition or carbon monoxide and carbon dioxide

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

Klean Strip Pure Gum Spirits Turpentine,

Turpatine

Page: 6 Printed: 02/22/2016

Revision: 02/12/2016 Supersedes Revision: 04/14/2015

11. TOXICOLOGICAL INFORMATION

Toxicological Information:

See animal test results below. Refer to section 2 for acute and chronic effects.

CAS# 8006-64-2:

Acute toxicity, LC50, Inhalation, Rat, 12.00 GM/M3, 6 H.

Result:

Behavioral: Convulsions or effect on seizure threshold.

Lungs, Thorax, or Respiration: Dyspnea.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN

55802, Vol/p/yr: 10,8, 1967

Standard Draize Test, Skin, Species: Rabbit, 500.0 UL, Severe.

Result:

Behavioral: Hallucinations, distorted perceptions. Behavioral: Change in motor activity (specific assay). Behavioral: Changes in psychophysiological tests.

- National Technical Information Service, Vol/p/yr: OTS0545856,

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7785-26-4	(1S)-(-)alphaPinene {Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, (1S)-}	n.a.	n.a.	n.a.	n.a.
8006-64-2	Turpentine {Gumspirits}	n.a.	n.a.	A4	n.a.

12. ECOLOGICAL INFORMATION

General Ecological

Information:

Related chemicals are known to be biodegradable and non-accumulating in the

environment.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Turpentine

DOT Hazard Class: FLAMMABLE LIQUID

UN1299 Ш **UN/NA Number: Packing Group:**



Additional Transport

The supplier may apply one of the following exceptions: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, Information: as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to

ensure that subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS# **Hazardous Components (Chemical Name)** S. 302 (EHS) S. 304 RQ S. 313 (TRI)

7785-26-4 (1S)-(-)-.alpha.-Pinene {Bicyclo[3.1.1]hept-2-ene, No No No

2,6,6-trimethyl-, (1S)-}

Turpentine {Gumspirits} 8006-64-2 No No No

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard

Klean Strip Pure Gum Spirits Turpentine,

Turpatine

Printed: 02/22/2016 Revision: 02/12/2016 Supersedes Revision: 04/14/2015

Page: 7

[X] Yes [] No Chronic (delayed) Health Hazard 'Hazard Categories' defined

for SARA Title III Sections [X] Yes [] No Fire Hazard

311/312 as indicated: [] Yes [X] No Sudden Release of Pressure Hazard

[] Yes [X] No Reactive Hazard

CAS# **Hazardous Components (Chemical Name)** Other US EPA or State Lists

(1S)-(-)-.alpha.-Pinene {Bicyclo[3.1.1]hept-2-ene, 7785-26-4

2,6,6-trimethyl-, (1S)-}

Turpentine {Gumspirits} 8006-64-2

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No

16. OTHER INFORMATION

Revision Date: 02/12/2016

W.M. Barr EHS Dept **Preparer Name:** (901)775-0100

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and

local laws and regulations.