1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Nufarm Diquat SPC 2 L

EPA Reg. No.: 228-675

Synonyms: Diquat Dibromide; 6,7-dihydrodipyrido (1,2-a:2',1'-c) pyrazinediium dibromide

Product Type: Herbicide

Company Name: Nufarm Americas Inc.

150 Harvester Drive, Suite 200

Burr Ridge, IL 60527

Telephone Numbers: For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,

Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call 1-877-325-1840

Date of Issue: June 8, 2012 Supersedes: August 10, 2010

Sections Revised: 13

2. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance and Odor: Dark brown colored liquid.

Warning Statements: Keep out of reach of children. CAUTION. Harmful if inhaled or swallowed. Causes

moderate eye irritation. Avoid breathing spray mist. Avoid contact with eyes or clothing.

Potential Health Effects:

Likely Routes of Exposure: Inhalation, eye and skin contact.

Eye Contact: Mildly irritating based on toxicity studies.

Skin Contact: Slightly toxic and slightly based on toxicity studies.

Ingestion: Moderately toxic based on toxicity studies. **Inhalation:** Moderately toxic based on toxicity studies.

Medical Conditions Aggravated by Exposure: Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing

skin disease.

See Section 11: TOXICOLOGICAL INFORMATION for more information.

Potential Environmental Effects:

This product is toxic to aquatic invertebrates.

See Section 12: ECOLOGICAL INFORMATION for more information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENTCAS NO.% BY WEIGHTDiquat dibromide85-00-737.3

Other Ingredients 85-00-7 37.3



4. FIRST AID MEASURES

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: To be effective, treatment for diquat poisoning must begin IMMEDIATELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

5. FIRE FIGHTING MEASURES

Flash Point: Not applicable due to aqueous formulation

Autoignition Temperature: Not determined Flammability Limits: Not determined

Extinguishing Media: Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: This product and solutions of this product react with aluminum to produce flammable hydrogen gas. If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later.

Hazardous Decomposition Materials (Under Fire Conditions): May produce oxides of carbon and nitrogen and fumes of bromide.

National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 2 Flammability: 1 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE

Handling:

Avoid breathing spray mist. Avoid contact with eyes or clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Storage:

Keep product in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs, or drinking water. Do not store or transport near feed or food. Store at temperatures above 32°F. Do not contaminate water, food, or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment:

Eye/Face Protection: To avoid contact with eyes, wear chemical goggles or shielded safety glasses, except as noted below. An emergency eyewash or water supply should be readily accessible to the work area.

Skin Protection:

Mixers, Loaders, Applicators and other handlers must wear: coveralls over short-sleeved shirt and short pants or coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, chemical-resistant footwear plus socks, chemical-resistant headgear for overhead exposure, chemical-resistant apron when cleaning equipment, mixing, or loading and face shield when mixing or loading.

Exception: After this product has been diluted to 0.50% or less in water (i.e., the labeled rate for some spot applications), applicators for AQUATIC SURFACE APPLICATIONS must, at a minimum, wear (Note: mixers and loaders for this application method must still wear the personal protective equipment (PPE) as described in the above section): long-sleeved shirt and long pants, shoes plus socks and waterproof gloves.

Exception: At a minimum, applicators for AQUATIC SUBSURFACE APPLICATIONS must wear (Note: mixers and loaders for this application method must still wear the personal protective equipment (PPE) as described in the above section): short-sleeved shirt and short pants, waterproof gloves and chemical-resistant footwear plus socks

An emergency shower or water supply should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

	OSHA		ACGIH		
Component	TWA	STEL	TWA	STEL	Unit
Diquat dibromide	NE	NE	0.5 (I)	NE	mg/m³
			(Skin)		
			0.1(R)		
			(Skin)		

I = Inhalable Fraction NE = Not Established R = Respirable Fraction

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Dark brown colored liquid.

Boiling Point: Not determined Solubility in Water: Soluble

Density:1.2006 g/ mlSpecific Gravity:Not determinedEvaporation Rate:Not determinedVapor Density:Not determinedFreezing Point:Not determinedVapor Pressure:Not determined

pH: 5 - 6 **Viscosity:** 1.6264 mPa.s @ 20°C

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY AND REACTIVITY

Chemical Stability: This material is stable under normal handling and storage conditions.

Conditions to Avoid: Do not store in aluminum containers. Excessive heat and open flame. This product and solutions of this product react with aluminum to produce flammable hydrogen gas.

Incompatible Materials: Corrosive to aluminum. Strong alkalis, anionic wetting agents and oxidizing

agents.

Hazardous Decomposition Products: Under fire conditions may produce oxides of carbon and nitrogen and fumes of bromide.

Hazardous Reactions: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

Data from laboratory studies conducted on a similar, but not identical, formulation:

Oral: Rat LD₅₀: 886 mg/kg (female)

Dermal: Rat LD₅₀: >5,050 mg/kg

Inhalation: Rat 4-hr LC₅₀: >0.62 mg/L

Eye Irritation: Rabbit: Mildly irritating

Skin Irritation: Rabbit: Slightly irritating

Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.

Subchronic (Target Organ) Effects: Repeated overexposure to diquat dibromide may cause effects to skin, lungs, liver and kidneys.

Carcinogenicity / Chronic Health Effects: Prolonged overexposure to diquat dibromide may cause effects to eyes (cataracts) and kidneys. There was no evidence of carcinogenicity in animal studies using diquat dibromide.

Reproductive Toxicity: Animal tests with diquat dibromide have not demonstrated reproductive effects. **Developmental Toxicity:** Animal studies on diquat dibromide resulted in decreased fetal body weight, kidney and skeletal effects at doses that were also toxic to mother animals.

Genotoxicity: No evidence of mutagenicity in *in vivo* assays using diquat dibromide. **Assessment Carcinogenicity:** None listed with ACGIH, IARC, NTP or OSHA.

See Section 2: HAZARDS IDENTIFICATION for more information.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Data on Diquat dibromide:

Aquatic LC_{50} Bluegill: 13.9 ppm Bobwhite Quail 8-day Dietary LC_{50} : 106 ppm Aquatic LC_{50} Rainbow Trout: 14.8 ppm Mallard Duck 8-day Dietary LC_{50} : 980 ppm Aquatic EC_{50} Daphnia: 0.77-1.19 ppm Bees LC_{50} : 47-100 LC_{50} :

Environmental Fate:

Diquat dibromide's primary route of environmental dissipation is strong adsorption to soil particles, aquatic sediments or suspended particulates, which typically have a large excess of binding capacity. The strong chemical bonds formed by diquat absorption to soil particles make the herbicide biologically unavailable to terrestrial or aquatic organisms. Diquat does not hydrolyse or photodegrade and is resistant to microbial degradation under aerobic and anaerobic conditions.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling and Disposal:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all

sides while adding water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

DOT

UN 2927, TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., (DIQUAT DIBROMIDE), 6.1, (8), II

IMDG

UN 2927, TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., (DIQUAT DIBROMIDE), 6.1, (8), II, MARINE POLLUTANT

IATA

UN 2927, TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., (DIQUAT DIBROMIDE), 6.1, (8), II

15. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):

Immediate and Delayed

Section 313 Toxic Chemical(s):

None

Reportable Quantity (RQ) under U.S. CERCLA:

Diquat (CAS No. 85-00-7) 1,000 pounds

RCRA Waste Code:

None

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not Listed

16. OTHER INFORMATION

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

MATERIAL SAFETY DATA SHEET

NUFARM DIQUAT SPC 2 L

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.