

SAFETY DATA SHEET

ECO: 454283

Revision Date: 04/28/2015

Rev. 1

Biokit/Inova Diagnostics, Inc.

9900 Old Grove Road

San Diego, CA 92131 U.S.A.

General information telephone number: 1-858-586-9900

Emergency telephone numbers

National (USA, Canada): 1-800-424-9300

International: 1-703-527-3887

CATALOG #: 23-038009

NAME: Sure-Vue™ RPR 100 Test

USE: A rapid non-treponemal flocculation test for the qualitative and semi-quantitative determination of reagin antibodies in serum and plasma.

Emergency Overview

OSHA Hazards

None

Other hazards which do not result in classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

GHS Classification

N/A

GHS Label elements, including precautionary statements

Pictogram: None Signal word: N/A Hazard Statements

None

Precautionary statements

None

Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation. Skin: May be harmful if absorbed through the skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Target Organs: None identified.

Human Source Material: Treat as potentially infectious.

Serum used in the preparation of this product has been tested by FDA approved methods and found non-reactive for the presence of Hepatitis B surface antigen (HBsAg), antibody to human immunodeficiency virus (HIV) and Hepatitis C virus (HCV). No known test method can offer complete assurance that Hepatitis B virus, HIV, HCV, or other infectious agents are absent. Handle these controls and all patient samples at Biosafety Level 2 as recommended in the Biosafety in Microbiological and Biomedical Laboratories, Centers for Disease Control and Prevention/National Institutes of Health, Fifth Edition, 2007.

NOTE: Physical and health hazard information for this component has not been determined. Any physical and health information noted is based on evaluation of data for pure ingredients and concentration of ingredients as packaged.

NFPA: HEALTH = 0, FIRE = 0, REACTIVITY = 0

HMIS: HEALTH = 0, FLAMMABILITY = 0, PHYSICAL HAZARDS = 0



SECTION 3. ----- COMPOSITION/INFORMATION ON INGREDIENTS -----

No ingredients are hazardous and/or at hazardous concentrations according to OSHA criteria Component:

- 1 x 2mL RPR Carbon Antigen. 0.003% Cardiolipin; 0.020 0.022% Lecithin (L- α -Phosphatidylcholine) CAS# 8002-43-5, EINECS# 232-307-2; 0.09% Cholesterol CAS# 57-88-5, EINECS# 200-353-2; Charcoal (activated) as a visual enhancer CAS# 7440-44-0, EINECS# 231-153-3; Phosphate buffer; 0.1% Sodium Azide CAS# 26628-22-8, EINECS# 247-852-1; and stabilizers.
- 1 x 1mL Reactive Control (Human) Titer 1:8. Human serum or defibrinated plasma (liquid) with 0.1% Sodium Azide CAS# 26628-22-8, EINECS# 247-852-1 as a preservative.
- 1 x 1mL Weak Reactive Control (Human). Human serum or defibrinated plasma (liquid) with 0.1% Sodium Azide CAS# 26628-22-8, EINECS# 247-852-1 as a preservative.
- 1 x 1mL Nonreactive Control (Human). Human serum or defibrinated plasma (liquid) with 0.1% Sodium Azide CAS# 26628-22-8, EINECS# 247-852-1 as a preservative.
- 1 Dropping Bottle
- 1 Dispensing Needle
- 10 RPR Test Cards (10 well)
- 100 Disposable Stirrer Pipets

Some reagents contain between 0.020% and 0.022% Lecithin (L- α -Phosphatidylcholine), CAS# 8002-43-5, EINECS# 232-307-2

Some reagents contain 0.09% Cholesterol, CAS# 57-88-5, EINECS# 200-353-2

Some reagents contain activated Charcoal as a visual enhancer, CAS# 7440-44-0, EINECS# 231-153-3 Some reagents contain less than (<) 0.1% total weight of Sodium Azide (NaN₃) as a preservative, CAS# 26628-22-8, EINECS# 247-852-1.

SECTION 4. ------ FIRST-AID MEASURES -----

Eye: Rinse immediately with plenty of clean running water for at least 20 minutes, separating the eyelid. Skin Contact: Wash off thoroughly with plenty of clean running water. Remove and wash contaminated clothing.

Ingestion: Obtain immediate medical attention.

Inhalation: Remove from exposure. If breathing is difficult, obtain medical attention if necessary. IN CASE OF ACCIDENT OR IF YOU DO NOT FEEL WELL, IMMEDIATELY SEEK MEDICAL ADVICE.

Non-flammable preparation.

Extinguishing media: Use media in adaption to materials stored in the immediate neighborhood, such as dry chemical.

Special firefighting procedures: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6. - - - - - - ACCIDENTAL RELEASE MEASURES - - - - - - - -

After spillage: Wipe up spills with inert absorbent materials and place in a suitable container. Use personal protective equipment (PPE), such as gloves, safety glasses/goggles to prevent exposure.

SECTION 7. ------ HANDLING AND STORAGE

Handling: Normal precautions for handling chemicals must be observed. Wash affected area after handling.

Storage: Keep containers tightly closed when not in use. Store in a dry, well ventilated storage area (2-8°C). Protect from physical damage.

SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION ------

Contains no substances with occupational exposure limit values.

Respiratory protection: Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a back up to engineering controls. If the respirator is the sole means of protection, use a full-face



supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye protection: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Skin and body protection: Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

Recommend the use of safety pipette device.

SECTION 9. ------ PHYSICAL AND CHEMICAL PROPERTIES --------

Appearance:

Carbon Antigen: transparent liquid with suspended black particles

Reactive Control: transparent liquid Weak Reactive Control: transparent liquid Nonreactive Control: transparent liquid

Odor: Solutions are odorless

Boiling point: N/A

Melting point: 275°C (527°F) decomposes

Flash point: N/A

Ignition temperature: N/A Explosion limits: N/A Vapor pressure: N/A

Density: N/A Viscosity: N/A

Solubility in water: Solutions are soluble, 400mg/mL

Specific Gravity: 1.8 (water = 1.0)

SECTION 10. ----- STABILITY AND REACTIVITY -----

Stability: Stable under ordinary conditions of use and storage.

Hazardous Polymerization: Will not occur.

Conditions and materials to avoid:

Conditions to Avoid

- Avoid contact with metals and acids
- Explodes when heated
- May be shock sensitive

Incompatibilities

- · Acid chlorides
- Nitrogen oxides
- Azide reacts with many heavy metals such as lead, copper, mercury, silver and gold to form
 explosive compounds. Copper and lead azides are more sensitive than nitroglycerin. Azide reacts
 with metal halides to give a range of metal azide halides, many of which are explosive.
 Incompatible with chromyl chloride, hydrazine, bromine, carbon disulfide, dimethyl sulfate,
 dibromomalonitrile.

Hazardous reactions: N/A

Hazardous decomposition products: Toxic fumes of nitrogen oxides

Acute toxicity

Oral LD50

No data available



Inhalation LC50

No data available

Dermal LD50

No data available

Other information on acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as known or anticipated carcinogen by NTP.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Teratogenicity

No data available

Specific target organ toxicity – single exposure (Globally Harmonized System)

No data available

Specific target organ toxicity – repeated exposure (Globally Harmonized System)

No data available

Aspiration hazard

No data available

Potential health effects

Inhalation

May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion

May be harmful if swallowed.

Skin

May be harmful if absorbed by the skin. May cause skin irritation.

Eyes

May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been fully investigated.

Synergistic effects

No data available

Additional Information

RTECS: Not available

SECTION 12. ----- ECOLOGICAL INFORMATION -----

Toxicity

No data available.



Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

PBT and vPvB Assessment

No data available.

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

Observe all Governmental environmental regulations for waste disposal. Chemical waste generators must determine if a discarded chemical is classified as a hazardous waste. Contact a licensed professional waste disposal service for disposal of unused product.

Some reagents in this kit contain Sodium Azide as a preservative. Sodium Azide has been reported to form lead or Copper Azide in laboratory plumbing which may explode on percussion. Use proper disposal procedures.

Product

Offer surplus and non-recyclable solutions to a licensed company.

Contaminated packaging

Disposed of as an unused product.

Remains of biological samples, reagents and controls should be collected in a suitable container for this purpose and autoclaved 1 hour at 121°C.

RCRA P-Series: None listed. RCRA U-Series: None listed.

SECTION 14. ----- TRANSPORT INFORMATION -----

DOT (US)

Not dangerous goods.

IMDG

Not dangerous goods.

IATA

Not dangerous goods.

SECTION 15. ----- REGULATORY INFORMATION -----

According to 1999/45/EC Directive and 91/155/EEC Directive and following modifications.

OSHA Hazards

No known OSHA hazards.

TSCA Status

Not on TSCA Inventory.

DSL Status

Not on the Canadian DSL nor NDSL lists.

SARA 302 Components

The following components are subject to the reporting requirements of SARA Title III, Section 302.

Sodium azide, CAS# 26628-22-8, EINECS# 247-852-1

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Sodium azide, CAS# 26628-22-8, EINECS# 247-852-1



Pennsylvania Right To Know Components

Cholesterol CAS# 57-88-5, EINECS# 200-353-2

Activated Carbon Not Transportation Regulated CAS# 7440-44-0, EINECS# 231-153-3

L-α-Phosphatidylcholine, CAS# 8002-43-5, EINECS# 232-307-2

Water, CAS# 7732-18-5, EINECS# 231-791-2

Sodium azide, CAS# 26628-22-8, EINECS# 247-852-1

New Jersey Right To Know Components

Cholesterol CAS# 57-88-5, EINECS# 200-353-2

Activated Carbon Not Transportation Regulated CAS# 7440-44-0. EINECS# 231-153-3

L-α-Phosphatidylcholine, CAS# 8002-43-5, EINECS# 232-307-2

Water, CAS# 7732-18-5, EINECS# 231-791-2

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive harm.

SECTION 16. ----- OTHER INFORMATION -----

Each donor unit used in the preparation of the controls of this kit was tested by an approved method for the presence of the antibodies to HIV and HCV as well as for HBsAg and found to be negative. WARNING: Because no test method can offer complete assurance that HIV, HCV, HBsAg or other infectious agents are absent, the controls of this kit should be handled carefully using Universal Precautions.

Biokit/Inova Diagnostics, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by properly trained personnel using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. Biokit/Inova Diagnostics, Inc. makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with the respect to the information set forth herein or the product to which the information refers. Accordingly, Biokit/Inova Diagnostics, Inc. will not be liable for any claims, losses or damages resulting from use of or reliance upon this information.

Copyright 2015 Biokit/Inova Diagnostics, Inc. All Rights Reserved ©