

LESCO® MANICURE® ULTRA Turf and Ornamental Fungicide

EPA Reg. No. 60063-3-10404

MATERIAL SAFETY DATA SHEET

LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4114

In Case of Emergency, Call

NPIC: 800-858-7378
CHEMTREC: 800-424-9300

I. GENERAL INFORMATION

1-Slight Health Hazard 0-Noncombustible 0-Nonreactive

Above: Ratings based on NIOSH "Identification System for Occupationally Hazardous Materials" (1974).

II. TRANSPORTATION INFORMATION

This product is regulated for transportation purposes as follows:

MODE	BULK (> 400 Kg {882 lb})	NON-BULK (< 400 Kg {882 lb})
IATA (Air):	Yes	No
IMO (Water):	Yes	Yes
DOT (Land):	Yes	No

Proper Shipping Name: Environmentally hazardous substance, solid, N.O.S. (chlorothalonil), 9, UN3077, PG III, ERG # 171

Freight class: NMFC Item #102120

SARA TITLE III INFORMATION

313 Inventory Ingredients: Chlorothalonil (82.5% wt/wt)
312 Hazards Classification: Acute and Chronic Health (See Section V for Health Hazard Information)

III. PRODUCT IDENTIFICATION

Product Names: LESCO MANICURE ULTRA Turf and Ornamental Fungicide
Synonyms (active ingredient): Tetrachloroisophthalonitrile, Chlorothalonil

IV. HAZARDOUS INGREDIENTS

The substances listed below are those identified as hazardous chemicals under the criteria of the OSHA Hazard Communication Standard (29 CFR 1910.1200).

<u>Component</u>	<u>CAS No.</u>
Tetrachloroisophthalonitrile	1897-45-6

Exposure Limits for LESCO MANICURE ULTRA Turf and Ornamental Fungicide:

ACGIH-TLV: Not Established

OSHA-PEL: Not Established

PROPOSITION 65

This product contains a chemical known to the State of California to cause cancer.

V. PHYSICAL DATA (*denotes data developed from technical active ingredient)

Boiling Point (760 mm Hg):	* >350°C
Melting Point:	Not Applicable
Freezing Point:	Not Applicable
Vapor Pressure:	*5.72 x 10 ⁻⁷ torr @ 25°C
Vapor Density (Air = 1):	Not Determined
Solubility in H ₂ O, % by Wt.:	*0.6 - 0.9 ppm. Formulation: dispersible in water
% Volatiles by Vol.:	Not Applicable
Evaporation Rate (Butyl Acetate = 1):	Not Determined
Appearance and Odor:	Light brown granules, Slightly Pungent
Bulk Density at 20°C:	48 lbs/cu. ft.
pH:	6 to 8

VI. FIRE AND EXPLOSION DATA

Flash Point:	Nonflammable
Autoignition Temperature:	Not Applicable
Flammable Limits in Air, % by Volume:	Noncombustible Lower: Not Applicable Upper: Not Applicable
Extinguishing Media:	Carbon dioxide, foam, dry chemical or water.
Special Fire Fighting Procedures:	Self-contained breathing apparatus should be provided for firefighters.
Unusual Fire and Explosion Hazards:	May decompose under fire conditions emitting toxic and irritant gases (i.e. hydrogen chloride) to the respiratory tract.

VII. HEALTH HAZARD INFORMATION (*denotes data developed from technical active ingredient)

Oral LD50 (rat):	5,050 mg/kg (U.S. EPA Category IV)*
Dermal LD50 (rabbit):	>2,020 mg/kg (U.S. EPA Category III)*
Inhalation (4-hour) LC50 (rat):	>0.051 mg/liter of air (U.S. EPA Category II)* ⁽¹⁾
Primary Dermal Irritation Index (rabbit):	Non-irritating (U.S. EPA Category IV)*
Primary Eye Irritation (rabbit)	Irritant; irreversible corneal, iridial and conjunctival effects in unwashed eyes at least 21 days (U.S. EPA Category I)* No persistent irritation in washed eyes (U.S. EPA Category III)*
Dermal sensitization (guinea pig):	Non-sensitizer*

(1) For transportation purposes, refer to 49 CFR 173.132(b)(3), >90% of product by volume on average is greater than 10 microns in particle size.

Emergency and First Aid Procedures

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have affected person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Persons having a temporary allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Effects of Chronic Overexposure

Repeated excessive dermal exposure may cause marked skin irritation and may increase the possibility of allergic reactions. Studies on rats and mice have suggested that technical chlorothalonil, when fed at high levels in the diet, may have oncogenic potential to these laboratory animals. However, neither chlorothalonil nor its metabolites interact with DNA and thus are not mutagenic. Tumor formation has been related to a non-genotoxic mechanism of action from which threshold levels have been established on rats and mice. Comprehensive dietary and worker exposure studies have shown exposure levels for humans to be well below LESCO, INC.

LESCO® MANICURE® ULTRA Turf and Ornamental Fungicide

Page 3 of 3

EPA Reg. No. 60063-3,10404
 these threshold levels in addition, surveillance of chlorothalonil plant workers for many years has not demonstrated any increase in oncogenic potential to humans.

VIII. REACTIVITY DATA

Conditions Contributing to Instability: Under normal use conditions, this product is stable.

Incompatibility: Not known.

Hazardous Decomposition Products: May decompose under fire conditions emitting gases and vapors (i.e. hydrogen chloride) which may be toxic and irritating to the respiratory tract.

Conditions Contributing To Hazardous Polymerization: Material not known to polymerize.

IX. SPILL OR LEAK PROCEDURES**Steps To Be Taken If Material Is Released Or Spilled:**

This product is toxic to fish. Keep out of lakes, streams or ponds. Contain spills. Remove as much as possible by shoveling and sweeping. Place contaminated materials in closed, labeled containers and store in a safe place to await proper disposal. Do not contaminate water while cleaning equipment or disposing of wastes. Persons performing this work should wear adequate personal protective equipment and clothing.

Waste Disposal Method:

Waste portions of this product and contaminated absorbent materials may be disposed of by incineration provided the following conditions are observed:

Incinerate in a suitable oven fed by a mixture of air and methane, at 1100-1200° C temperature;

The HCl which may form in the incinerator exhaust gas must be conveyed into an aqueous absorption system containing 18-20% of $\text{Ca}(\text{OH})_2$.

X. INDUSTRIAL HYGIENE CONTROL MEASURES**Ventilation Requirements**

Good industrial hygiene practice dictates that indoor work areas be isolated and provided with adequate local exhaust ventilation. Work upwind in out-of-doors batch operations.

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY: NIOSH - approved dust respirators or pesticide respirators

EYE: Chemical goggles or face shields.

GLOVES: Wear protective chemical-resistant gloves to minimize skin contact. Special precautions should be taken so product cannot get inside gloves.

OTHER CLOTHING AND EQUIPMENT

Protective clothing consisting of long sleeve shirt and long pants, should be worn when handling this product. The clothing should be changed at least daily. Persons exposed routinely to this active material should shower prior to leaving work each day. Safety shower and eye-wash stations should be provided in all areas in which this product is stored and/or handled. Contaminated clothing should be removed and washed thoroughly before re-using.

Issued: 4/12/2010

Revised: 6/28/2012