

----- MATERIAL SAFETY DATA SHEET -----
DIAMOND R SPRAY ADJUVANT
Diamond R

IDENTITY (As Used on Label and List): Spray Adjuvant

SECTION I

MANUFACTURER'S NAME: DIAMOND R FERTILIZER
4100 GLADES RD.
FT. PIERCE, LF 34981
EMERGENCY TELEPHONE NUMBER: POISON CONTROL 1-800-282-3171
TELEPHONE NUMBER FOR INFORMATION: 1-800-330-9300
DATE PREPARED: 7/15/94

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components
(Specific Chemical
Identity; Common OSHA ACGIH Other Limits %
Name(s)) PEL TLV Recommended (optional)

Highly refined 5mg/m³
paraffinic oil (Mist)
(CAS #64742-56-9)
Polyoxyethylene
sorbitan fatty
ester

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 282 deg C
VAPOR PRESSURE (mm Hg.): <0.01 mm Hg @ 20 deg C
VAPOR DENSITY (AIR = 1): >5
SPECIFIC GRAVITY (H₂O = 1): 0.8591
MELTING POINT: N/A
EVAPORATION RATE (Butyl Acetate = 1): <0.01
SOLUBILITY IN WATER At 1 ATM and 25 deg C: Slight
APPEARANCE AND ODOR: Clear to light amber liquid with a
petroleum odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method Used): 182 deg C, Cleveland Open Cup
FLAMMABLE LIMITS:
LEL: N/A
UEL: N/A
EXTINGUISHING MEDIA: Dry chemical, CO₂, water spray or
standard foam.
SPECIAL FIRE FIGHTING PROCEDURES: Use full protective
equipment and SCBA; spray fogs are preferred over high
pressure directed stream.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Fight fire from maximum
distance and up wind. Evacuate downwind. Dike area to
prevent runoff. Minimize breathing vapors or fumes.

SECTION V - REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Intense heat and sources of ignition.

INCOMPATIBILITY (Materials to Avoid): None known.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon monoxide and aldehydes.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Contact with strong oxidizers such as liquid chlorine, oxygen or bleach.

SECTION VI - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY: LIMITS

INHALATION? 5 mg/m³

SKIN? <LD₅₀ 2000 mg/kg

INGESTION? Harmful or fatal if swallowed

HEALTH HAZARDS (Acute and Chronic): Excessive exposure may cause irritation to eyes, nose & throat. Prolonged or repeated skin contact may cause irritation. Pulmonary aspiration hazard if swallowed and vomiting occurs - can cause severe lung damage.

CARCINOGENICITY: Not at this time.

NTP? N/A

IARC MONOGRAPHS? N/A

OSHA REGULATED? No

SIGNS AND SYMPTOMS OF EXPOSURE: Variability among individuals.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None recognized.

EMERGENCY AND FIRST AID PROCEDURES:

EYE: Flush with water

SKIN: Wash with soap and water

INGESTION: Do not induce vomiting or give liquids.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Contain spill. Use PPE and advice EPA and state agency if required. Take up with sand or other absorbant material. Shovel, sweep, or vacuum spill.

WASTE DISPOSAL METHOD: Triple rinse, or equivalent, jugs or drums. Dispose in accordance with Federal, State and Local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: NFPA Class III B Storage. Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling. Use explosion proof equipment when transferring from containers. Avoid contact with eyes.

OTHER PRECAUTIONS: Do not siphon by mouth. Wash thoroughly after handling. Use caution to avoid contact with eyes.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (Specify Type): Under normal working conditions no respiratory protection required.

VENTILATION:

LOCAL EXHAUST:

MECHANICAL (General): Recommended in closed areas.

SPECIAL:

OTHER:

PROTECTIVE GLOVES: PVC, nitrile or neoprene

EYE PROTECTION: Splash proof goggles or face shield.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

WORK/HYGIENIC PRACTICES: Safety shower and eyewash should be available. Launder soiled clothing.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES: although preparer and owner have taken reasonable care in the preparation of this document, we extend no warranties and make no representation as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each user should make a determination as to the suitability of the information for their particular purpose(s). A request has been made to the manufacturer to approve the contents of this material safety data sheet. Upon receipt of any changes a new MSDS will be made available.

COMPAS Code: 22590041
